

HSM®

Great Products, Great People.



HSM shredstar Document Shredders

Product Overview

Data Protection – Important for Everyone



Your security system protects your valuable possessions.



Your fire alarm lets you know if something is getting too hot.



Your firewall stops intrusions into your pc.

So how do you protect your personal data?

Danger zone waste bin. You've thought about using a firewall and encrypting your data – but what about the confidential documents in your waste bin and the data they contain?

How do you dispose of invoices, tax documents, salary sheets or old credit cards? Crumpled up or cut with scissors in the waste bin? Then the door is wide open for spies and data misuse and you are risking a significant image or financial loss.


Are you sure that your tax documents can't get into your neighbour's hands?

**Put your trust in one thing:
an HSM shredstar document shredder!**




Here you can see:

 **Tax return**

 **Confidential letters**

 **DVD with private photos**





Data privacy concerns everyone! So shred sensitive data at the office or at home with a document shredder from the HSM shredstar line. These devices are characterised by their compact and modern design, by their high performance level and ease of use with an unbeatable price-performance ratio.

Particles in original size:

P-2

Strip cut 6 mm

P-4

Particle cut 4-4.5 x 35-37 mm

P-5

Particle cut 2 x 15 mm

These media types can be destroyed:



P

Documents
e.g. paper



O

e.g. CDs,
DVDs, Blu-ray
discs



T

e.g. floppy
disks, ID cards
with magnetic
strips



E

e.g. USB sticks,
chip cards,
memory cards



F

e.g. films, foils



Learn more.
Scan QR code.



| Model | HSM shredstar S10 | HSM shredstar X5 |
|--|--|--|
| Application area | Home use / small office, 1 to 3 persons | Home use / small office, 1 to 3 persons |
| Cutting type | strip | particle |
| Cutting size in mm | 6 | 4.5 x 30 |
| Product number | 1042121 | 1043121 |
| Security level ISO/IEC 21964 (DIN 66399) | P-2 / O-1 / T-1 / E-2 | P-4 / O-1 / T-2 / E-2 / F-1 |
| Cutting capacity in DIN A4 sheets 80g/m ² | 10 | 5 |
| Noise level in idle operation in dB(A) | 58 | 58 |
| Intake width in mm | 220 | 220 |
| Power consumption in W | 125 | 125 |
| Voltage / Frequency | 220-240 V / 50-60 Hz | 220-240 V / 50-60 Hz |
| Dimensions (W x D x H) in mm | 345 x 245 x 385 | 345 x 245 x 385 |
| Weight in kg | 4 | 4 |
| Container volume in l | 18 | 18 |
| Shredding material | | |



HSM shredstar Document Shredders for the home or small office

- Quiet operation minimises noise development in the workplace.
- Light barrier for automatic start/stop.
- Effortless emptying of the waste container via the removal housing top.
- Level indicator through inspection window in the waste container.

- 1 LED indicator shows the device's operating status: power, paper jam, overheat.
- 2 Anti-paper jam function, automatic return eliminates paper jams.
- 3 Separate CD cutting unit with own waste container for sorted disposal.



| Model | HSM shredstar X6pro | HSM shredstar X8 | HSM shredstar X10 |
|--|--|--|--|
| Application area | Home use / small office, 1 to 3 persons | Home use / small office, 1 to 3 persons | Home use / small office, 1 to 3 persons |
| Cutting type | particle | particle | particle |
| Cutting size in mm | 2 x 15 | 4.5 x 30 | 4.5 x 30 |
| Product number | 1046111 | 1044121 | 1045111 |
| Security level ISO/IEC 21964 (DIN 66399) | P-5 / O-1 / T-2 / E-2 / F-2 | P-4 / O-1 / T-2 / E-2 / F-1 | P-4 / O-1 / T-2 / E-2 / F-1 |
| Cutting capacity in DIN A4 sheets 80g/m ² | 6 | 8 | 10 |
| Noise level in idle operation in dB(A) | 58 | 58 | 58 |
| Intake width in mm | 220 | 220 | 220 |
| Power consumption in W | 160 | 250 | 160 |
| Voltage / Frequency | 220-240 V / 50-60 Hz | 220-240 V / 50-60 Hz | 220-240 V / 50-60 Hz |
| Dimensions (W x D x H) in mm | 345 x 245 x 445 | 345 x 245 x 385 | 345 x 245 x 445 |
| Weight in kg | 6 | 6 | 6 |
| Container volume in l | 20 | 18 | 20 |
| Shredding material | | | |



HSM shredstar Document Shredders for the workplace

- Quiet operation minimises noise development in the workplace.
- Automatic return eliminates paper jams.
- Light barrier for automatic start/stop.
- Level indicator through inspection window in the waste container.
- Separate CD cutting unit with own waste container for sorted disposal.

- 1 LED indicator shows: Power, Paper jam, Overheat, Bin full.
- 2 The Document Shredder can be moved on castors.
- 3 The waste container can be easily removed and emptied.



| Model | HSM shredstar X12pro | HSM shredstar X13 | HSM shredstar X15 |
|--|-------------------------------------|-------------------------------------|-------------------------------------|
| Application area | Workplace / office, up to 5 persons | Workplace / office, up to 5 persons | Workplace / office, up to 5 persons |
| Cutting type | particle | particle | particle |
| Cutting size in mm | 2 x 15 | 4 x 37 | 4 x 37 |
| Product number | 1033121 | 1057121 | 1030121 |
| Security level ISO/IEC 21964 (DIN 66399) | P-5 / O-1 / T-2 / E-2 / F-2 | P-4 / O-1 / T-2 / E-2 / F-1 | P-4 / O-1 / T-2 / E-2 / F-1 |
| Cutting capacity in DIN A4 sheets 80g/m ² | 12 | 13 | 15 |
| Noise level in idle operation in dB(A) | 57 | 57 | 57 |
| Intake width in mm | 230 | 230 | 230 |
| Power consumption in W | 460 | 300 | 320 |
| Voltage / Frequency | 220-240 V / 50-60 Hz | 220-240 V / 50-60 Hz | 220-240 V / 50-60 Hz |
| Dimensions (W x D x H) in mm | 390 x 300 x 595 | 390 x 300 x 595 | 390 x 300 x 595 |
| Weight in kg | 14 | 13 | 13 |
| Container volume in l | 26 | 23 | 26 |
| Shredding material | | | |



Great Products, Great People.



● **Headquarters and production sites in Germany**

HSM GmbH + Co. KG
Austraße 1-9
88699 Frickingen / Germany
Tel. + 49 7554 2100-0
Fax + 49 7554 2100-160
info@hsm.eu
www.hsm.eu

○ **Subsidiaries**

HSM Técnica de Oficina y Medioambiente España, S.L.U.
HSM France SAS
HSM (UK) Ltd.
HSM Polska Sp. z o.o.
HSM of America LLC
HSM China Ltd.

● **Sales and service partners**

All statements without guarantee. Technical and design modifications reserved.
For latest product specifications visit www.hsm.eu