


HIGH-VOLUME PAPER SHREDDERS & SHREDDER/BALERS



SERIES 14.95 & 14.87 PAPER SHREDDERS & SHREDDER/BALER COMBINATIONS



Intimus **14.95 Series paper shredders** destroy up to 130 sheets of paper per pass - up to 620 lbs. per hour. They feature an infeed conveyor, large sortation table and a paddle system to direct flat sheets and crumpled paper into the cutting head.

The Intimus **14.87 Series** (inset photo) includes an integrated baler. It shreds, compacts and bales simultaneously. With a shredding/baling capacity of up to 620 lbs. of paper per hour, the 14.87 Series is our most popular shredder/baler. The baler generates 9 tons of force to create neat, tightly packed bales. Push button control activates the bale ejection system and secures the bale by wrapping it with 2 straps.

- Also shreds credit cards/ID badges, optical media and floppy disks
- Bin full alarm with automatic stop
- Indicator lights for operational status including paper jam and door open
- Mounted on casters, narrow width fits through most standard doorways
- Safety interlocks prevent use if door is open or panels removed
- Can be supplied with optional dust collector
- Optional bagging system ejects bales into plastic bag creating a clean, waterproof package (14.87 Series only)



Intimus 14.87 Series Shredder/Baler Combination



Infeed conveyor with paddle system



Easy to use controls with lockout switch



Swing out waste collection facilitates quick, easy bag changes (14.95 series)



Optional dust extractor maintains a dust-free shredding area



Separate cardboard feed chamber on 14.87 Series




Compressed and baled paper ejected into optional bagging system

SPECIFICATIONS

Model	SHREDDER ONLY		SHREDDER/BALER COMBINATION	
	14.95 S-3	14.95 S-4	14.87-3	14.87-4
Shred Size (mm)	6 x 50	3.8 x 40	6 x 50	3.8 x 40
Security Level (DIN 66399)	P-3, 0-3, T-3 [†] , E-2	P-4, 0-3, T-4 [†] , E-3	P-3, 0-3, T-3 [†] , E-2	P-4, 0-3, T-4 [†] , E-3
Feed Opening (in)	17	17	17	17
Waste Collection Capacity	52 gal.	52 gal.	N/A	N/A
Bale Weight (lbs)	N/A	N/A	130 - 175	130 - 175
Press Force (tons)	N/A	N/A	9	9
Cutting Speed (in/sec)	12	12	12	12
Shredding Capacity* (sheets/pass)	up to 130	up to 110	up to 130	up to 130
Shredding Capacity* (lbs/hour)	620	520	620	520
Sound Level dBA	63	63	63	63
Power Supply**	220V/60Hz/3 phase	220V/60Hz/3 phase	220V/60Hz/3 phase	220V/60Hz/3 phase
Motor (hp)	5.25	5.25	5.25 shredder, 5.25 baler	5.25 shredder, 5.25 baler
Nominal Dimensions (in) (WxDxH)	32 x 68 x 64	32 x 68 x 64	32 x 106 x 65	32 x 106 x 65
Weight (lbs)	1,000	1,000	2,150	2,150

[†]ID cards and floppy disks only. *Shredding capacity varies based on paper weight. ** Other electrical configurations available.
 Note: Certain small format items such as SSDs may pass through cutting head undestroyed.

SERIES 16.50 & 16.86 SMARTSHRED SHREDDER & SHREDDER/BALER COMBINATION



Intimus **16.50 Series paper shredders** shred up to 550 sheets at a time or 1,200 lbs. per hour. A large sortation table with infeed conveyor and paddle system provides fast, even feeding of flat sheets and crumpled paper. A safety chest bar shuts down the system if a user leans too close to the feed opening and cutting head.

The **16.86 Series** (inset photo) combines the shredder with a press baler for immediate, automatic compression of waste into compact bales. Compaction and baling of shredded waste routinely reduces waste volume by up to 70%.

All 16.50 and 16.86 Series units are equipped with SmartShred PLC based touchscreen controls. In addition to being simple to operate, SmartShred controls also provide valuable equipment status information, service reminders, detailed error messages and more.

- Shreds flat sheets, crumpled/balled paper and complete folders
- Shreds credit cards/ID badges, optical media and floppy disks
- Bin full alarm with automatic stop
- Integrated automatic oiler keeps cutting head lubricated for improved cutting head performance
- Safety interlocks prevent use if waste receptacle is missing or not in correct position
- Can be equipped with optional dust collector
- Separate feed opening for cardboard (*16.86 Series only*)
- Optional bagging system ejects bales into plastic bag creating a clean, waterproof package (*16.86 Series only*)



Intimus 16.86 Series Shredder/Baler Combination



Large sortation table with 19.7" infeed conveyor belt



Heavy-duty gears and chain drive provide long, trouble-free service life



Integrated automatic oiling system with replaceable jug – no messy refilling



SmartShred PLC Based Touchscreen Control Interface

SPECIFICATIONS

Model	SHREDDER ONLY		SHREDDER BALER / COMBINATION	
	16.50 - 2	16.50 - 3	16.86 - 2	16.86 - 3
Shred Size (mm)	10 x 70	6 x 50	10 x 70	6 x 50
Security Level (DIN 66399)	P-2 / O-2 / T-2 / E-2	P-3 / O-3 / T-3 / E-2	P-2 / O-2 / T-2 / E-2	P-3 / O-3 / T-3 / E-2
Feed Opening (in)	19.7	19.7	19.7	19.7
Waste Collection Capacity	120 gal.	120 gal.	N/A	N/A
Bale Weight (lbs)	N/A	N/A	130 - 175	130 - 175
Press Force (tons)	N/A	N/A	9	9
Cutting Speed (in/sec)	9.5	9.5	9.5	9.5
Shredding Capacity* (sheets/pass)	up to 520	up to 330	up to 520	up to 330
Shredding Capacity* (lbs/hour)	up to 1,250	up to 1,050	up to 1,250	up to 1,050
Sound Level dBA	61	61	61	61
Power Supply**	220V/60 Hz/3 phase	220V/60 Hz/3 phase	220V/60 Hz/3 phase	220V/60 Hz/3 phase
Motor (hp)	10	10	10 shredder / 5.25 baler	10 shredder / 5.25 baler
Nominal Dimensions (in) (WxDxH)	77 x 48 x 61	77 x 48 x 61	135 x 48 x 61	135 x 48 x 61
Weight (lbs)	1,600	1,600	2,769	2,769

*Shredding capacity varies based on paper weight. ** Other electrical configurations available.
Note: Certain small format items such as SSDs may pass through cutting head undestroyed.



H200 SHREDDERS WITH FEED HOPPER

High-volume shredder with 53 gallon bin and unique hopper feed to accept both flat sheets and crumpled paper. H200 VS CP4 features Vario-Speed technology to optimize working speed depending on load.

- Shreds flat sheets, crumpled/balled paper, and complete folders
- Shreds paper clips, credit cards/ID badges, optical media and floppy disks
- Bin full alarm with automatic stop/automatic reverse in case of paper jam

Model	H200 CP4	H200 VS CP4
Shred Size (mm)	3.8 x 40	3.8 x 40
Security Level (DIN 66399)	P-4/F-1/O-3/T-4	P-4/F-1/O-3/T-4
Cutting Speed (in./sec)	10	1 - 14
Shredding Capacity* (sheets/pass)	up to 80	up to 70
Nominal Dimensions (in) (WxDxH)	30 x 22 x 71	30 x 22 x 71

*Shredding capacity varies based on paper weight



Paper clips



CDs



Credit Cards



Diskettes

HARD DRIVE AND MIXED MEDIA DESTRUCTION SOLUTIONS



HDD Gladiator HARD DRIVE SHREDDER

The powerful, fast and reliable solution for destroying hard drives and optical media. Specially hardened cutting blades rip hard drives – including chassis and platters – to small mangled shreds that can't be reconstructed and meet DIN Security Level H-3.

- High-performance shredder for optical, magnetic and SSD media
- Dual feed openings and shredding chambers for HDD and SSD media
- Shredded material collected in standard 32 gallon waste bin

GLADIATOR	
Working Width Chamber 1 (mm)	145
Working Width Chamber 2 (mm)	135
Destruction Capacity* (units/hour)	500
Security Level (DIN 66399)	O-2/T-2/H-3 [†] /E-2
Nominal Dimensions (in) (WxDxH)	41 x 33 x 66

* Depending on the type of material mix. † Inner HDD parts.



HDD chassis mangled, torn and ripped to shreds




Dual HDD/SSD cutter heads accessed via dual feed slots

FlashEx FLASH MEDIA DESTROYER

Destroy SSD / Flash media including SSD drives, smartphones, mini-tablets and USB sticks down to particles of only 4 mm x 15 mm (DIN 66399 Security Levels O-3 / T-4 / E-3). The FlashEx is compact, quiet and operates on single phase 120V / 20A power. Destroys up to 100 mobile phones or 500 USB sticks per hour.



Safety feed slot with viewing window



Heavy-duty steel cutting head



Waste is collected in bin under cabinet



Intimus International
www.intimus.com